

## Composite Functions

Given two functions, combine them in a way such that the outputs of one function become the inputs for the other, making it a **composite function**.

$$(f \circ g)(x) = f(g(x)) \quad \text{OR} \quad (f \circ g)(x) = f \text{ of } g \text{ of } x$$

## Evaluating Composite Functions

Evaluate the function on the **right** side, and then substitute that result into the other function to find the answer.

**Example:** Given  $f(x) = 5x + 2$  and  $g(x) = 1 + x^2$ , find  $(f \circ g)(3)$ .

**Solutions:**

**Step 1:** Set up the equation and start from the right side.

$(f \circ g)(3) = f(g(3))$   
Notice  $g(3)$  is the input for  $f(x)$ ,  
so start by solving for  $g(3)$ .


Given  $g(x) = 1 + x^2$ :  
 $g(3) = 1 + (3)^2$   
 $g(3) = 10$

**Step 2:** Now substitute the answer for  $g(3)$  into  $f(x)$ .

$$f(g(3)) = f(10)$$

Given  $f(x) = 5x + 2$ :  
 $f(9) = 5(10) + 2$   
 $f(9) = 52$

$$\text{so } (f \circ g)(3) = 52$$



## Finding the Composite Function

To compose two functions, redefine the composition by using the definition to find  $f(g(x))$  or  $g(f(x))$ .

**Example:** Given  $f(x) = x^2 + 4$  and  $g(x) = \frac{1}{x}$ , find  $(g \circ f)(x)$ .

**Solution:**

**Step 1:** Set up the function using the definition.

$$(g \circ f)(x) = g(f(x))$$

Notice  $f(x)$  is the input for  $g(x)$ , so start with  $f(x)$ .

$$\begin{aligned} \text{Given } f(x) &= x^2 + 4: \\ g(f(x)) &= g(x^2 + 4) \end{aligned}$$

**Step 2:** Now substitute  $x^2 + 4$  into  $g(x)$  for every  $x$ . Simplify as needed.

$$\begin{aligned} \text{Given } g(x) &= \frac{1}{x}: \\ g(x^2 + 4) &= \frac{1}{(x^2 + 4)} \end{aligned}$$

$$\text{so } g(f(x)) = \frac{1}{x^2 + 4}$$

**Example:** Given  $f(x) = x^2 + 2x - 3$  and  $g(x) = x + 1$  find  $f(g(x))$ .

**Solution:**

Since  $f(g(x))$  uses  $g(x)$  as the input for  $f$ , substitute  $x + 1$  for  $g(x)$  and simplify.

**Step 1:** Substitute.

$$\begin{aligned} f(g(x)) &= f(x + 1) \\ f(x + 1) &= (x + 1)^2 + 2(x + 1) - 3 \end{aligned}$$

**Step 2:** Simplify.

$$\begin{aligned} f(x + 1) &= (x^2 + 2x + 1) + 2x + 2 - 3 \\ f(x + 1) &= x^2 + 4x \end{aligned}$$

**Practice Exercises:**

1. Given  $f(x) = 2x - 6$  and  $g(x) = x^2 + 3$ , find  $g(f(x))$ .
2. Given  $f(x) = 4 - x$  and  $g(x) = x^3 - 1$ , find  $(f \circ g)(x)$ .
3. Given  $f(x) = 3x + 4$  and  $g(x) = 2x$ , find  $(f \circ g)(5)$ .
4. Given  $f(x) = x + 7$  and  $g(x) = \frac{1}{x^2 - 1}$  find  $g(f(2))$ .

**Answers:**

1.  $g(f(x)) = 4x^2 - 24x + 39$
2.  $f(g(x)) = 5 - x^3$
3.  $f(g(5)) = 34$
4.  $g(f(2)) = \frac{1}{80}$